



# Retail Food Establishment Inspection Report

Floyd County Health Department  
Telephone: 812-948-4726

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name <b>Holiday Inn</b>	Telephone Number <b>812 944 4600</b>	Date of Inspection (mm/dd/yr) <b>9/4/2019</b>	PERMIT # <b>19-140</b>
Establishment Address (number and street, city, state, zip code) <b>506 W. Spring St. New Albany, IN 47150</b>	<b>681 788 4343</b>	Follow-up <b>YES</b>	Release Date <b>TODAY</b>
Owner <b>Noble Management Group</b>	Purpose: <input checked="" type="checkbox"/> Routine	Summary of Violations: <b>C 2 NC 8 R 1</b>	
Owner's Address	2. Follow-up	Menu Type (See back of page) <b>1 2 X 3 4 5</b>	
Person in Charge <b>Brandy Williams</b>	3. Complaint		
Responsible Person's E-mail	4. Pre-Operational		
Certified Food Manager <b>exempt - continental breakfasts only</b>	5. Temporary		
	6. HACCP		
	7. Other (list)		

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
118	C		Observed lack of food safety knowledge and concern - managers and food workers should complete food safety training - FCHD will approve food safety basics training - staff should initial and date roster upon completion	2 weeks - send training by 9/6
177	NC		Observed cereals and nuts uncovered (bags) in buffet drawer	Corrected
218	NC		Observed water puddling in BOH refrigerator	2 weeks
243	NC		Observed cases of single-use items on BOH/buffet floor	Today
259	NC		Observed BOH refrigerator to be 46°F - all food was 41°F and allowed to be moved to another operating cooler - temperature was turned down and should be monitored	Today
291	NC		Observed no sanitizer test strips available	2 weeks
297	NC		Observed the following pieces of equipment needing cleaned: 1) Coffee filter bulb to be rusty/dirty 2) Moldy ice chunks on bulk ice units 3) Mold around juice dispenser nozzles	Today
340	NC		Observed no hand soap available at prep area hand sink	Corrected
Received by (name and title printed): <b>Brandy Williams GM</b>			Inspected by (name and title printed): <b>A.J. Ingram (EHS)</b>	
Received by (signature): 			Inspected by (signature): 	
cc:			cc:	

347	NC	Observed no hand towels available at prep hand sink	Corrected
438	C	Observed multiple unlabeled chemical spray bottles - find all sprayers and identify and label	2 weeks